

Your Powered Access specialist

Access Platform Equipment
Rental, Sales & Training

ACCESS RENTAL
GULF



Raising standards in Powered Access Rental, Sales & Training



Access Rental Gulf was established in 2008 and has one of the most experienced teams in the Middle East.

Originally based in Dubai, Access Rental Gulf has grown to become a thriving company with a number of depots covering the countries of the Gulf Cooperation Council (GCC). We currently operate in the United Arab Emirates, the Kingdom of Saudi Arabia, Qatar and Bahrain.

We have a growing fleet of man lifts; including telescopic and articulating boom lifts and scissor lifts from major manufacturers such as Skyjack, Haulotte and Snorkel. You can be rest assured that we have the right machine for your job.

In addition to hire, we provide training at our registered training centres and if you want to buy a machine, then our experienced team are on hand to advise you with the purchase of a machine.



Contents

About Access Rental Gulf	2
Our Services	4
Machinery Sales	5
Training	6
Scissor Lifts	8-9
Articulating Boom Lifts	10-11
Telescopic Boom Lifts	12-13
Check List & Conversion Table	14

The information given in this brochure is for guidance only and does not form a contract or agreement. It may change at any time in accordance with manufacturer's specifications and other legislative regulations.

Our Services

Rental

From a range of machines with working heights of up to 43 metres, we can provide the right solution. Our range of machines include:

- Telescopic booms
- Articulating booms
- Scissor lifts

For more information about safe working loads and working height etc, please refer to Rental Fleet pages.

Sales

If you are looking to buy a new or used access platform, then we will be happy to advise. We maintain good relationships with all major manufacturers so we can help you acquire your new or used machine. Our team of dedicated experts have the resources, knowledge and experience to help you meet your exact requirements.

Training

We have IPAF Training Centres in the UAE and Saudi Arabia, supported by one of the most experienced and knowledgeable Powered Access training teams in the Middle East. Our training enables your workers to possess the right information for working at height safely and effectively.

To book training please contact your nearest depot (see Our Depots for more information).

New & used Powered Access machinery

If you want to buy a machine then our team of dedicated experts are on hand.

Our machines are suitable for a wide range of applications, such as:

Construction Building

MEP work

Fire protection

Inspection

Dock work

Steelwork

Painting

Electrical installation

Building maintenance

Warehousing

Cleaning

HVAC installation

Cladding

Events management

Benefits of using Powered Access:

Cost effective

Faster

Safer

Efficient

Compliant to law

Reliable





Working at height training courses

We are a licensed IPAF Training Centre with one of the most experienced powered access training teams in the Middle East. We offer a highly effective Powered Access course, which teaches the user the necessary skills and knowledge to operate the equipment safely and effectively.

IPAF (International Powered Access Federation) is the internationally recognised standard for training on Powered Access equipment.

IPAF Operator Training:

A mix of theory and practical training, this course is designed to enable operators to manoeuvre, drive and position Mobile Elevating Work Platforms (MEWPs) safely and proficiently.

Course Categories:

1a IPAF Operator Static Vertical

Vertical personnel platforms (static).

1b IPAF Operator Static Vertical

Self propelled booms (outriggers), trailers, push around verticals, vehicle mounted platforms.

3a IPAF Operator Mobile Vertical

Scissor lifts, vertical personnel lifts.

3b IPAF Operator Mobile Boom

Self-propelled booms.

1a & 2b IPAF Operator Mobile Boom

Machines where the drive is controlled at a point other than the platform.

To book training please contact your nearest depot (see Our Depots for more information).



Our expertise is your peace of mind

Our philosophy is to offer affordable training that is well respected and within easy reach of our customers.




Scissor Lifts **Electric**

Scissor Lifts **Diesel**




10m Electric Scissor (S26E)

REACH HEIGHT	9.90m	PLATFORM HEIGHT	7.90m
CLOSED LENGTH	2.31m	CLOSED HEIGHT	2.15m
WIDTH	1.17m	PLATFORM EXTENSION	1.20m
CAGE DIMENSIONS	2.13x1.07m	MINIMUM HEIGHT*	1.79m
LIFTING CAPACITY	454kg	WEIGHT	2132kg
POWER	ELECTRIC	IPAF CATEGORY	3a
FEATURED MODEL	SKYJACK SJ4626		




10m Diesel Scissor (S26DX)

REACH HEIGHT	9.90m	PLATFORM HEIGHT	7.90m
CLOSED LENGTH	2.70m	CLOSED HEIGHT	2.40m
WIDTH	1.70m	PLATFORM EXTENSION	1.50m
CAGE DIMENSIONS	2.40x1.40m	MINIMUM HEIGHT*	1.60m
LIFTING CAPACITY	567kg	WEIGHT	2926kg
POWER	DIESEL	IPAF CATEGORY	3a
FEATURED MODEL	SKYJACK SJ6826RT		
ALTERNATIVE MODELS	HAULOTTE COMPACT 10		




14m Diesel Scissor (S41D)

REACH HEIGHT	14.50m	PLATFORM HEIGHT	12.50m
CLOSED LENGTH	3.49m	CLOSED HEIGHT	2.90m
WIDTH	2.21m	PLATFORM EXTENSION	2.40m
CAGE DIMENSIONS	3.51x1.78m	MINIMUM HEIGHT*	2.22m
LIFTING CAPACITY	681kg	WEIGHT	5402kg
POWER	DIESEL	IPAF CATEGORY	3a
FEATURED MODEL	SKYJACK SJ8841		




8m Electric Scissor (S19E)

REACH HEIGHT	7.80m	PLATFORM HEIGHT	5.80m
CLOSED LENGTH	1.78m	CLOSED HEIGHT	1.99m
WIDTH	0.81m	PLATFORM EXTENSION	0.90m
CAGE DIMENSIONS	1.63x0.66m	MINIMUM HEIGHT*	1.64m
LIFTING CAPACITY	227kg	WEIGHT	1170kg
POWER	ELECTRIC	IPAF CATEGORY	3a
FEATURED MODEL	SKYJACK SJ3219		




12m Electric Scissor (S32E)

REACH HEIGHT	11.80m	PLATFORM HEIGHT	9.80m
CLOSED LENGTH	2.31m	CLOSED HEIGHT	2.24m
WIDTH	1.17m	PLATFORM EXTENSION	1.20m
CAGE DIMENSIONS	2.13x1.07m	MINIMUM HEIGHT*	1.88m
LIFTING CAPACITY	318kg	WEIGHT	2313kg
POWER	ELECTRIC	IPAF CATEGORY	3a
FEATURED MODEL	SKYJACK SJ4632		




12m Diesel Scissor (S32DX)

REACH HEIGHT	11.80m	PLATFORM HEIGHT	9.80m
CLOSED LENGTH	2.70m	CLOSED HEIGHT	2.50m
WIDTH	1.70m	PLATFORM EXTENSION	1.50m
CAGE DIMENSIONS	2.40x1.40m	MINIMUM HEIGHT*	1.80m
LIFTING CAPACITY	454kg	WEIGHT	3497kg
POWER	DIESEL	IPAF CATEGORY	3a
FEATURED MODEL	SKYJACK SJ6832RT		
ALTERNATIVE MODEL	HAULOTTE COMPACT 12		



17m Diesel Scissor (S50D)

REACH HEIGHT	17.20m	PLATFORM HEIGHT	15.20m
CLOSED LENGTH	4.47m	CLOSED HEIGHT	3.16m
WIDTH	2.34m	PLATFORM EXTENSION	2.40m
CAGE DIMENSIONS	4.27x1.88m	MINIMUM HEIGHT*	2.29m
LIFTING CAPACITY	681kg	WEIGHT	6577kg
POWER	DIESEL	IPAF CATEGORY	3a
FEATURED MODEL	SKYJACK SJ9250		



* Minimum height reference to stowed height with guardrails down where applicable. The information provided is for guidance only. It may change at any time in accordance with manufacturer's specification.


Articulating Boom Lifts **Electric**

Articulating Boom Lifts **Diesel**

11m Electric Articulating (BA30NE)

REACH HEIGHT	10.89m	PLATFORM HEIGHT	8.89m
CLOSED LENGTH	5.31m	CLOSED HEIGHT	2.00m
WIDTH	1.19m	HORIZONTAL REACH	6.25m
LIFTING CAPACITY	227kg	WEIGHT	6450kg
CAGE DIMENSIONS	0.76x1.22m	TURNING RADIUS	3.20m
ROTATION	355°	IPAF CATEGORY	3b
POWER	ELECTRIC		


FEATURED MODEL	GENIE Z30/20NJ
----------------	----------------



16m Diesel Articulating (BA45D)

REACH HEIGHT	15.72m	PLATFORM HEIGHT	13.72m
CLOSED LENGTH	6.53m	CLOSED HEIGHT	2.30m
WIDTH	1.98m	HORIZONTAL REACH	7.47m
LIFTING CAPACITY	230kg	WEIGHT	7100kg
CAGE DIMENSIONS	0.76x1.83m	TURNING RADIUS	4.27m
ROTATION	360°	IPAF CATEGORY	3b
POWER	DIESEL		


FEATURED MODEL	SKYJACK SJ46AJ
ALTERNATIVE MODELS	JLG 450AJ HAULOTTE HA16PX SKYJACK SJ46AJ



20m Diesel Articulating (BA61D)

REACH HEIGHT	20.29m	PLATFORM HEIGHT	18.29m
CLOSED LENGTH	8.82m	CLOSED HEIGHT	2.56m
WIDTH	2.44m	HORIZONTAL REACH	12.12m
LIFTING CAPACITY	230kg	WEIGHT	10650kg
CAGE DIMENSIONS	0.91x1.83m	TURNING RADIUS	3.55m
ROTATION	360°	IPAF CATEGORY	3b
POWER	DIESEL		


FEATURED MODEL	HAULOTTE HA20PX
ALTERNATIVE MODELS	JLG 600AJ GENIE Z60/34 SNORKELAB60J SKYJACK SJ63AJ



16m Electric Articulating (BA45E)

REACH HEIGHT	15.92m	PLATFORM HEIGHT	13.92m
CLOSED LENGTH	6.70m	CLOSED HEIGHT	2.00m
WIDTH	1.75m	HORIZONTAL REACH	7.65m
LIFTING CAPACITY	227kg	WEIGHT	6867kg
CAGE DIMENSIONS	0.67x1.83m	TURNING RADIUS	4.26m
ROTATION	355°	IPAF CATEGORY	3b
POWER	ELECTRIC		


FEATURED MODEL	HAULOTTE HA151P
ALTERNATIVE MODEL	GENIE Z45/25J



26m Diesel Articulating (BA80D)

REACH HEIGHT	26.38m	PLATFORM HEIGHT	24.38m
CLOSED LENGTH	11.12m	CLOSED HEIGHT	3.00m
WIDTH	2.44m	HORIZONTAL REACH	15.74m
LIFTING CAPACITY	230kg	WEIGHT	15030kg
CAGE DIMENSIONS	0.91x2.44m	TURNING RADIUS	4.42m
ROTATION	360°	IPAF CATEGORY	3b
POWER	DIESEL		


FEATURED MODEL	JLG 800AJ
ALTERNATIVE MODEL	HAULOTTE HA260PX



43m Diesel Articulating (BA135D)

REACH HEIGHT	43.15m	PLATFORM HEIGHT	41.15m
CLOSED LENGTH	12.93m	CLOSED HEIGHT	3.09m
TRANSPORT WIDTH	2.49m	WORKING WIDTH	5.03m
LIFTING CAPACITY	272kg	HORIZONTAL REACH	21.26m
CAGE DIMENSIONS	0.91x2.44m	WEIGHT	20502kg
ROTATION	360°	TURNING RADIUS	8.56m
POWER	DIESEL		

FEATURED MODEL	GENIE Z135/70
----------------	---------------



10 The information provided is for guidance only. It may change at any time in accordance with manufacturer's specification.

11

Telescopic Boom Lifts Diesel


Telescopic Boom Lifts Diesel



28m Telescopic Diesel (BS86D)

REACH HEIGHT	28.21m	PLATFORM HEIGHT	26.21m
CLOSED LENGTH	12.19m	CLOSED HEIGHT	3.05m
WIDTH	2.49m	HORIZONTAL REACH	22.86m
LIFTING CAPACITY	227kg	WEIGHT	16511kg
CAGE DIMENSIONS	0.91x2.44m	TURNING RADIUS	6.86m
ROTATION	360°	IPAF CATEGORY	3b
POWER	DIESEL		


FEATURED MODEL	SNOKEL TB85J
ALTERNATIVE MODEL	SKYJACK SJ86T HAULOTTE H25TPX HAULOTTE HE28TJ GENIE S85



15m Telescopic Diesel (BS46D)

REACH HEIGHT	15.45m	PLATFORM HEIGHT	13.45m
CLOSED LENGTH	8.44m	CLOSED HEIGHT	2.22m
WIDTH	2.30m	HORIZONTAL REACH	12.30m
LIFTING CAPACITY	230kg	WEIGHT	7000kg
CAGE DIMENSIONS	0.80x1.80m	TURNING RADIUS	4.80m
ROTATION	360°	IPAF CATEGORY	3b
POWER	DIESEL		


FEATURED MODEL	HAULOTTE HI16TPX
----------------	------------------



22m Diesel Telescopic (BS65D)

REACH HEIGHT	22.12m	PLATFORM HEIGHT	20.12m
CLOSED LENGTH	10.31m	CLOSED HEIGHT	2.56m
WIDTH	2.44m	HORIZONTAL REACH	17.30m
LIFTING CAPACITY	230kg	WEIGHT	13115kg
CAGE DIMENSIONS	0.91x1.83m	TURNING RADIUS	3.45m
ROTATION	360°	IPAF CATEGORY	3b
POWER	DIESEL		


FEATURED MODEL	HAULOTTE 23TPX
ALTERNATIVE MODEL	GENIE S65 SNORKEL TB66J SKYJACK SJ66T



40m Diesel Telescopic (BS125D)

REACH HEIGHT	40.15m	PLATFORM HEIGHT	38.15m
CLOSED LENGTH	14.25m	CLOSED HEIGHT	3.07m
TRANSPORT WIDTH	2.49m	WORKING WIDTH	3.35m
LIFTING CAPACITY	227kg	HORIZONTAL REACH	24.68m
CAGE DIMENSIONS	0.76x1.83m	WEIGHT	20248kg
ROTATION	360°	TURNING RADIUS	13.13m
POWER	DIESEL	IPAF CATEGORY	3b

FEATURED MODEL	GENIE S125
ALTERNATIVE MODEL	SNORKEL TB126J



Checklist for using Access Platforms

1 Working height

The machine heights in this brochure relate to the measurement from ground level to the maximum platform height, plus an extra two metres.

2 Required outreach

Outreach relates to the measurement from the centre of the turret plus an extra 5cm on a fully extended boom.

3 Carrying weight

Always check the safe working load (SWL) of the machine before operating. Calculate the weight of the operative (an average male is 85kg) plus tools and compare the total to the machine's SWL.

4 Wind speed

Working in unsafe wind conditions is dangerous. Always refer to the machine operator's manual for the maximum safe wind speed and double check by using an anemometer.

5 Ground conditions

The condition of the ground can make a huge difference to the performance of the machine. For example working on the gradient, wet or rough to rain will affect the choice of equipment. We recommend that you discuss this with a Hire Desk Controller or Account Manager.

6 Working indoors

When working indoors we recommend electric powered machines. Remember to measure any doors which the machine may need to pass through and also let us know if you are working on a surface where you will need non-marking tyres or wheel covers.

7 Which operator

All of our machines can be self operated. If your operator does not hold a recognised license then contact us about training (see page Training for more information about IPAF training).

8 Working outdoors


Diesel powered machines are mainly used outdoors. All machines used outdoors should have a wind rating. Also consider the outreach needed and ground conditions.

9 Machine operators manual

Finally before operating any machine, always remember to read through the machine operator's manual.

Conversion Table

Feet	101.7	105.0	108.3	111.5	114.8	118.1	121.4	124.7	128.0	131.2	134.5	137.8	141.1	144.4	147.6
Metres	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Feet	52.5	55.8	59.1	62.3	65.6	68.9	72.2	75.5	78.7	82.0	85.3	88.6	91.9	95.1	98.4
Metres	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Feet	3.3	6.6	9.8	13.1	16.4	19.7	23.0	26.2	29.5	32.8	36.1	39.4	42.7	45.9	49.2
Metres	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15





Our Depots

1. United Arab Emirates - Dubai

United Arab Emirates, Plot No. 368-318
Al Quoz Industrial Area 3
Dubai, PO Box 115084, UAE

t +971 4340 4573 **f** +971 4340 5813
e contact@accessrental-gulf.com

2. Kingdom of Saudi Arabia - Dammam

Landmark:
Al TasHalat Gas Station #97, Abqiq/Dhahran
Highway #615, Kingdom of Saudi Arabia

t +966 13 808 1527 **f** +966 13 808 1528
e dammam@accessrental-gulf.com

3. Kingdom of Saudi Arabia - Jeddah

PO Box 23423 - 3771, Jeddah
Kingdom of Saudi Arabia

t +966 12 216 0554 **f** +966 12 216 0575
e jeddah@accessrental-gulf.com

4. Qatar

Al Jaidah Square Building
Airport Road, Doha, Qatar

t +974 44 267 413 **f** +974 44 267 317
e qatar@accessrental-gulf.com

5. Bahrain

PO Box: 17203, Manama
Kingdom of Bahrain

t +973 17 840 787 **f** +973 17 840 788
e bahrain@accessrental-gulf.com

6. United Arab Emirates - Abu Dhabi

Shabiya 11, Mussafah,
Abu Dhabi, United Arab Emirates

t +971 2551 4006 **f** +971 2551 4002
e contact@accessrental-gulf.com



IPAF Approved Training Centre

Access Rental Gulf LLC

United Arab Emirates
Plot No. 368-318, Al Quoz Industrial Area 3
Dubai, PO Box 115084, UAE

t +971-4-3404573
e contact@accessrental-gulf.com
w accessrental-gulf.com